

Selected Bibliography on Executive Function

Books

- Anderson, V., & Jacobs, R. (2008). *Executive Functions and the Frontal Lobes: A Lifespan Perspective*. Taylor & Francis, Inc.
- Barkley, R. (1997). *ADHD and the Nature of Self-Control*. New York: Guilford Press.
- Dawson, P., & Guare, R. (2003). *Executive Skills in Children & Adolescents: A practical guide to assessment and intervention*. NY: Guilford Press.
- Goldberg, E. (2000). *The Executive Brain: Frontal Lobes and the Civilized Mind*. New York: Oxford.
- Lyon, G.R. & Krasnegor, N.A. (1996) *Attention, Memory and Executive Function*. Baltimore: Paul H. Brookes Publishing Co.
- McCloskey, G., Perkins, L. A., & Van Divner, B. (2009). *Assessment and intervention for executive function difficulties*. New York, NY, US: Routledge/Taylor & Francis Group. Retrieved from www.csa.com
- Meltzer, L. (2007) *Executive Function in Education: From Theory to Practice*. NY: Guilford Press.
- Ylvisaker, M. & Feeney, T.J. (1998) *Collaborative Brain Injury Intervention: Positive Everyday Routines*. San Diego: Singular Publishing Co.

Articles and Chapters including the BRIEF

- Abikoff, H., Nissley-Tsiopinis, J., Gallagher, R., Zambenedetti, M., Seyffert, M., Boorady, R., & McCarthy, O. (2009). Effects of MPH-OROS on the organizational, time management, and planning behaviors of children with ADHD. *Journal of the American Academy of Child & Adolescent Psychiatry*, 48(2), 166-175. doi:10.1097/CHI.0b013e3181930626
- Alloway, T. P., Gathercole, S. E., Holmes, J., Place, M., Elliott, J. G., & Hilton, K. (2009). The diagnostic utility of behavioral checklists in identifying children with ADHD and children with working memory deficits. *Child Psychiatry and Human Development*, 40(3), 353-366. doi:10.1007/s10578-009-0131-3
- Alloway, T. P., Gathercole, S. E., Kirkwood, H., & Elliott, J. (2009). The cognitive and behavioral characteristics of children with low working memory. *Child Development*, 80(2), 606-621. doi:10.1111/j.1467-8624.2009.01282.x
- Anderson, P. (2002). Assessment and development of executive function (EF) during childhood. *Child Neuropsychology*, 8(2), 71-82. doi:10.1076/chin.8.2.71.8724
- Anderson, V. A., Anderson, P., Northam, E., Jacobs, R., & Mikiewicz, O. (2002). Relationships between cognitive and behavioral measures of executive function in children with brain disease. *Child Neuropsychology*. Special Issue: Behavior Rating Inventory of Executive Function (BRIEF), 8(4), 231-240. doi:10.1076/chin.8.4.231.13509
- Anderson, V., Jacobs, R., & Harvey, A. S. (2005). Prefrontal lesions and attentional skills in childhood. *Journal of the International Neuropsychological Society*, 11(7), 817-831. doi:10.1017/S1355617705051052
- Anderson, V., Spencer-Smith, M., Leventer, R., Coleman, L., Anderson, P., Williams, J., Greenham, M., & Jacobs, R. (2009). Childhood brain insult: Can age at insult help us predict outcome? *Brain: A Journal of Neurology*, 132(1), 45-56. doi:10.1093/brain/awn293
- Antshel, K. M., & Waisbren, S. E. (2003). Timing is everything: Executive functions in children exposed to elevated levels of phenylalanine. *Neuropsychology*, 17(3), 458-468. doi:10.1037/0894-4105.17.3.458
- Antshel, K. M., Conchelos, J., Lanzetta, G., Fremont, W., & Kates, W. R. (2005). Behavior and corpus callosum morphology relationships in velocardiofacial syndrome (22q11.2 deletion syndrome). *Psychiatry Research: Neuroimaging*, 138(3), 235-245. doi:10.1016/j.psychres.2005.02.003
- Antshel, K. M., Epstein, I. O., & Waisbren, S. E. (2004). Cognitive strengths and weaknesses in children and adolescents homozygous for the galactosemia Q188R mutation: A descriptive study. *Neuropsychology*, 18(4), 658-664. doi:10.1037/0894-4105.18.4.658
- Antshel, K. M., Fremont, W., Roizen, N. J., Shprintzen, R., Higgins, A. M., Dhamoon, A., & Kates, W. R. (2006). ADHD, major depressive disorder, and simple phobias are prevalent psychiatric conditions in youth with velocardiofacial syndrome. *Journal of the American Academy of Child & Adolescent Psychiatry*, 45(5), 596-603. doi:10.1097/01.chi.0000205703.25453.5a
- Aylward, G. P. (2005). Neurodevelopmental outcomes of infants born prematurely. *Journal of Developmental & Behavioral Pediatrics*, 26(6), 427-440. doi:10.1097/00004703-200512000-00008
- Bagner, D. M., Williams, L. B., Geffken, G. R., Silverstein, J. H., & Storch, E. A. (2007). Type 1 diabetes in youth: The relationship between adherence and executive functioning. *Children's Health Care*, 36(2), 169-179. Retrieved from www.csa.com

- Baron, I. S., Ahronovich, M. D., Erickson, K., Larson, J. C. G., & Litman, F. R. (2009). Age-appropriate early school age neurobehavioral outcomes of extremely preterm birth without severe intraventricular hemorrhage: A single center experience. *Early Human Development*, 85(3), 191-196. doi:10.1016/j.earlhumdev.2008.09.411
- Baym, C. L., Corbett, B. A., Wright, S. B., & Bunge, S. A. (2008). Neural correlates of tic severity and cognitive control in children with tourette syndrome. *Brain: A Journal of Neurology*, 131(1), 165-179. doi:10.1093/brain/awm278
- Beebe, D. W. (2006). Neurobehavioral morbidity associated with disordered breathing during sleep in children: A comprehensive review. *Sleep: Journal of Sleep and Sleep Disorders Research*, 29(9), 1115-1134. Retrieved from www.csa.com
- Beebe, D. W., & Gozal, D. (2002). Obstructive sleep apnea and the prefrontal cortex: Towards a comprehensive model linking nocturnal upper airway obstruction to daytime cognitive and behavioral deficits. *Journal of Sleep Research*, 11(1), 1-16. doi:10.1046/j.1365-2869.2002.00289.x
- Beebe, D. W., Wells, C. T., Jeffries, J., Chini, B., Kalra, M., & Amin, R. (2004). Neuropsychological effects of pediatric obstructive sleep apnea. *Journal of the International Neuropsychological Society*, 10(7), 962-975. doi:10.1017/S135561770410708X
- Bertrand, J., & On behalf of the Interventions for Children with Fetal Alcohol Spectrum Disorders Research Consortium. (2009). Interventions for children with fetal alcohol spectrum disorders (FASDs): Overview of findings for five innovative research projects. *Research in Developmental Disabilities*, 30(5), 986-1006. doi:10.1016/j.ridd.2009.02.003
- Biederman, J., Petty, C. R., Doyle, A. E., Spencer, T., Henderson, C. S., Marion, B., Fried, R., & Faraone, S. V. (2008). Stability of executive function deficits in girls with ADHD: A prospective longitudinal followup study into adolescence. *Developmental Neuropsychology*, 33(1), 44-61. Retrieved from www.csa.com
- Brookshire, B., Levin, H. S., Song, J. X., & Zhang, L. (2004). Components of executive function in typically developing and head-injured children. *Developmental Neuropsychology*, 25(1-2), 61-83. doi:10.1207/s15326942dn2501&2_5
- Brown, T. M., Ris, M. D., Beebe, D., Ammerman, R. T., Oppenheimer, S. G., Yeates, K. O., & Enrile, B. G. (2008). Factors of biological risk and reserve associated with executive behaviors in children and adolescents with spina bifida myelomeningocele. *Child Neuropsychology*, 14(2), 118-134. doi:10.1080/09297040601147605
- Burmeister, R., Hannay, H. J., Copeland, K., Fletcher, J. M., Boudousquie, A., & Dennis, M. (2005). Attention problems and executive functions in children with spina bifida and hydrocephalus. *Child Neuropsychology*, 11(3), 265-283. doi:10.1080/092970490911324
- Campbell, L. K., Scaduto, M., Van Slyke, D., Niarhos, F., Whitlock, J. A., & Compas, B. E. (2009). Executive function, coping, and behavior in survivors of childhood acute lymphocytic leukemia. *Journal of Pediatric Psychology*, 34(3), 317-327. doi:10.1093/jpepsy/jsn080
- Chan, A. S., Cheung, M., Han, Y. M. Y., Sze, S. L., Leung, W. W., Man, H. S., & To, C. Y. (2009). Executive function deficits and neural discordance in children with autism spectrum disorders. *Clinical Neurophysiology*, 120(6), 1107-1115. doi:10.1016/j.clinph.2009.04.002
- Church, J. A., Fair, D. A., Dosenbach, N. U. F., Cohen, A. L., Miezin, F. M., Petersen, S. E., & Schlaggar, B. L. (2009). Control networks in paediatric tourette syndrome show immature and anomalous patterns of functional connectivity. *Brain: A Journal of Neurology*, 132(1), 225-238. doi:10.1093/brain/awn223
- Cole, W. R., Mostofsky, S. H., Larson, J. C. G., Denckla, M. B., & Mahone, E. M. (2008). Age-related changes in motor subtle signs among girls and boys with ADHD. *Neurology*, 71(19), 1514-1520. doi:10.1212/01.wnl.0000334275.57734.5f
- Conklin, H. M., Salorio, C. F., & Slomine, B. S. (2008). Working memory performance following paediatric traumatic brain injury. *Brain Injury*, 22(11), 847-857. doi:10.1080/02699050802403565
- Coolidge, F. L., Thede, L. L., & Jang, K. L. (2004). Are personality disorders psychological manifestations of executive function deficits? bivariate heritability evidence from a twin study. *Behavior Genetics*, 34(1), 75-84. doi:10.1023/B:BEGE.0000009486.97375.53
- Cummings, D. D., Singer, H. S., Krieger, M., Miller, T. L., & Mahone, E. M. (2002). Neuropsychiatric effects of guanfacine in children with mild tourette syndrome: A pilot study. *Clinical Neuropharmacology*, 25(6), 325-332. doi:10.1097/00002826-200211000-00009
- Donders, J. (2002). The behavior rating inventory of executive function. *Child Neuropsychology. Special Issue: Behavior Rating Inventory of Executive Function (BRIEF)*, 8(4), 229-230. doi:10.1076/chin.8.4.229.13508
- Donders, J., & Taneja, C. (2009). Neurobehavioral characteristics of children with duchenne muscular dystrophy. *Child Neuropsychology*, 15(3), 295-304. doi:10.1080/09297040802665777
- Ellenberg, L., Liu, Q., Gioia, G., Yasui, Y., Packer, R. J., Mertens, A., Donaldson, S. S., Stovall, M., Kadan-Lottick, N., Armstrong, G., Robison, L. L., & Zeltzer, L. K. (2009). Neurocognitive status in long-term survivors of childhood CNS malignancies: A report from the childhood cancer survivor study. *Neuropsychology*, 23(6), 705-717. doi:10.1037/a0016674

- Fuggetta, G. P. (2006). Impairment of executive functions in boys with attention deficit/hyperactivity disorder. *Child Neuropsychology*, 12(1), 1-21. doi:10.1080/09297040500203418
- Gathercole, S. E. (2008). Working memory in the classroom. *The Psychologist*, 21(5), 382-385. Retrieved from www.csa.com
- Gathercole, S. E., Alloway, T. P., Kirkwood, H. J., Elliott, J. G., Holmes, J., & Hilton, K. A. (2008). Attentional and executive function behaviours in children with poor working memory. *Learning and Individual Differences*, 18(2), 214-223. doi:10.1016/j.lindif.2007.10.003
- Giancola, P. R. (2004). Executive functioning and alcohol-related aggression. *Journal of Abnormal Psychology*, 113(4), 541-555. doi:10.1037/0021-843X.113.4.541
- Gilotty, L., Kenworthy, L., Sirian, L., Black, D. O., & Wagner, A. E. (2002). Adaptive skills and executive function in autism spectrum disorders. *Child Neuropsychology.Special Issue: Behavior Rating Inventory of Executive Function (BRIEF)*, 8(4), 241-248. doi:10.1076/chin.8.4.241.13504
- Gioia, G. A., & Isquith, P. K. (2004). Ecological assessment of executive function in traumatic brain injury. *Developmental Neuropsychology*, 25(1-2), 135-158. doi:10.1207/s15326942dn2501&2_8
- Gioia, G. A., Isquith, P. K., & Guy, S. C. (2001). Assessment of executive functions in children with neurological impairment. In R. J. Simeonsson, & S. L. Rosenthal (Eds.), *Psychological and developmental assessment: Children with disabilities and chronic conditions*. (pp. 317-356). New York, NY, US: Guilford Press. Retrieved from www.csa.com
- Gioia, G. A., Isquith, P. K., & Kenealy, L. E. (2008). Assessment of behavioral aspects of executive function. In V. Anderson, R. Jacobs & P. J. Anderson (Eds.), *Executive functions and the frontal lobes: A lifespan perspective*. (pp. 179-202). Philadelphia, PA, US: Taylor & Francis. Retrieved from www.csa.com
- Gioia, G. A., Isquith, P. K., Guy, S. C., & Kenworthy, L. (2000). Behavior rating inventory of executive function. *Child Neuropsychology*, 6(3), 235-238. doi:10.1076/chin.6.3.235.3152
- Gioia, G. A., Isquith, P. K., Kenworthy, L., & Barton, R. M. (2002). Profiles of everyday executive function in acquired and developmental disorders. *Child Neuropsychology*, 8(2), 121-137. doi:10.1076/chin.8.2.121.8727
- Gioia, G. A., Isquith, P. K., Retzlaff, P. D., & Espy, K. A. (2002). Confirmatory factor analysis of the behavior rating inventory of executive function (BRIEF) in a clinical sample. *Child Neuropsychology.Special Issue: Behavior Rating Inventory of Executive Function (BRIEF)*, 8(4), 249-257. doi:10.1076/chin.8.4.249.13513
- Gioia, G. A., Isquith, P. K., Schneider, J. C., & Vaughan, C. G. (2009). New approaches to assessment and monitoring of concussion in children. *Topics in Language Disorders*, 29(3), 266-281. Retrieved from www.csa.com
- Groza, V., Ryan, S. D., & Thomas, S. (2008). Institutionalization, romanian adoptions and executive functioning. *Child & Adolescent Social Work Journal*, 25(3), 185-204. doi:10.1007/s10560-008-0120-6
- Guimarães, C. A., Bonilha, L., Franzon, R. C., Li, L. M., Cendes, F., & Guerreiro, M. M. (2007). Distribution of regional gray matter abnormalities in a pediatric population with temporal lobe epilepsy and correlation with neuropsychological performance. *Epilepsy & Behavior*, 11(4), 558-566. doi:10.1016/j.yebeh.2007.07.005
- Hartshorne, T. S., Nicholas, J., Grialou, T. L., & Russ, J. M. (2007). Executive function in CHARGE syndrome. *Child Neuropsychology*, 13(4), 333-344. doi:10.1080/09297040600850944
- Hauser, P. C., Lukomski, J., & Hillman, T. (2008). Development of deaf and hard-of-hearing students' executive function. In M. Marschark, & P. C. Hauser (Eds.), *Deaf cognition: Foundations and outcomes*. (pp. 286-308). New York, NY, US: Oxford University Press. Retrieved from www.csa.com
- Horneman, G., & Emanuelson, I. (2009). Cognitive outcome in children and young adults who sustained severe and moderate traumatic brain injury 10 years earlier. *Brain Injury*, 23(11), 907-914. doi:10.1080/02699050903283239
- Hutchison, J. S., Ward, R. E., Lacroix, J., Hébert, P. C., Barnes, M. A., Bohn, D. J., Dirks, P. B., Doucette, S., Fergusson, D., Gottesman, R., Joffe, A. R., Kirpalani, H. M., Meyer, P. G., Morris, K. P., Moher, D., Singh, R. N., Skippen, P. W., & Hypothermia Pediatric Head Injury Trial Investigators and the Canadian Critical Care Trials Group. (2008). Hypothermia therapy after traumatic brain injury in children. *The New England Journal of Medicine*, 358(23), 2447-2456. doi:10.1056/NEJMoa0706930
- Isquith, P. K., Crawford, J. S., Espy, K. A., & Gioia, G. A. (2005). Assessment of executive function in preschool-aged children. *Mental Retardation and Developmental Disabilities Research Reviews*, 11(3), 209-215. doi:10.1002/mrdd.20075
- Isquith, P. K., Gioia, G. A., & Espy, K. A. (2004). Executive function in preschool children: Examination through everyday behavior. *Developmental Neuropsychology*, 26(1), 403-422. doi:10.1207/s15326942dn2601_3
- Jacobs, R., & Anderson, V. (2002). Planning and problem solving skills following focal frontal brain lesions in childhood: Analysis using the tower of london. *Child Neuropsychology*, 8(2), 93-106. doi:10.1076/chin.8.2.93.8726
- Jacobs, R., Harvey, A. S., & Anderson, V. (2007). Executive function following focal frontal lobe lesions: Impact of timing of lesion on outcome. *Cortex*, 43(6), 792-805. doi:10.1016/S0010-9452(08)70507-0
- Jarratt, K. P., Riccio, C. A., & Siekierski, B. M. (2005). Assessment of attention deficit hyperactivity disorder (ADHD) using the BASC and BRIEF. *Applied Neuropsychology.Special Issue: Attention Deficit Hyperactivity Disorder (ADHD) and Neuropsychology*, 12(2), 83-93. doi:10.1207/s15324826an1202_4

- Jonsson, C. A., Horneman, G., & Emanuelson, I. (2004). Neuropsychological progress during 14 years after severe traumatic brain injury in childhood and adolescence. *Brain Injury*, 18(9), 921-934. doi:10.1080/02699050410001671900
- Kanne, S. M., Abbacchi, A. M., & Constantino, J. N. (2009). Multi-informant ratings of psychiatric symptom severity in children with autism spectrum disorders: The importance of environmental context. *Journal of Autism and Developmental Disorders*, 39(6), 856-864. doi:10.1007/s10803-009-0694-7
- Kennedy, M. R. T., & Coelho, C. (2005). Self-regulation after traumatic brain injury: A framework for intervention of memory and problem solving. *Seminars in Speech & Language*, 26(4), 242-255. doi:10.1055/s-2005-922103
- Kenworthy, L. E., Black, D. O., Wallace, G. L., Ahluvalia, T., Wagner, A. E., & Sirian, L. M. (2005). Disorganization: The forgotten executive dysfunction in high-functioning autism (HFA) spectrum disorders. *Developmental Neuropsychology*, 28(3), 809-827. doi:10.1207/s15326942dn2803_4
- Kenworthy, L., Yerys, B. E., Anthony, L. G., & Wallace, G. L. (2008). Understanding executive control in autism spectrum disorders in the lab and in the real world. *Neuropsychology Review*, 18(4), 320-338. doi:10.1007/s11065-008-9077-7
- Kral, M. C., & Brown, R. T. (2004). Transcranial doppler ultrasonography and executive dysfunction in children with sickle cell disease. *Journal of Pediatric Psychology*, 29(3), 185-195. doi:10.1093/jpepsy/jsh020
- Krull, K. R., Gioia, G., Ness, K. K., Ellenberg, L., Recklitis, C., Leisenring, W., Huang, S., Stovall, M., Robison, L. L., & Zeltzer, L. (2008). Reliability and validity of the childhood cancer survivor study neurocognitive questionnaire. *Cancer*, 113(8), 2188-2197. doi:10.1002/cncr.23809
- Lajiness-O'Neill, R., Beaulieu, I., Asamoah, A., Titus, J. B., Bawle, E., Ahmad, S., Kirk, J. W., & Pollack, R. (2006). The neuropsychological phenotype of velocardiofacial syndrome (VCFS): Relationship to psychopathology. *Archives of Clinical Neuropsychology*, 21(2), 175-184. doi:10.1016/j.acn.2005.09.001
- Lawrence, V., Houghton, S., Douglas, G., Durkin, K., Whiting, K., & Tannock, R. (2004). Executive function and ADHD: A comparison of children's performance during neuropsychological testing and real-world activities. *Journal of Attention Disorders*, 7(3), 137-149. doi:10.1177/108705470400700302
- Liebermann, D., Giesbrecht, G. F., & Müller, U. (2007). Cognitive and emotional aspects of self-regulation in preschoolers. *Cognitive Development*, 22(4), 511-529. doi:10.1016/j.cogdev.2007.08.005
- Mahone, E. M. (2005). Measurement of attention and related functions in the preschool child. *Mental Retardation and Developmental Disabilities Research Reviews*, 11(3), 216-225. doi:10.1002/mrdd.20070
- Mahone, E. M., & Hoffman, J. (2007). Behavior rating of executive function among preschoolers with ADHD. *The Clinical Neuropsychologist*, 21(4), 569-586. doi:10.1080/13854040600762724
- Mahone, E. M., Hagelthorn, K. M., Cutting, L. E., Schuerholz, L. J., Pelletier, S. F., Rawlins, C., Singer, H. S., & Denckla, M. B. (2002). Effects of IQ on executive function measures in children with ADHD. *Child Neuropsychology*, 8(1), 52-65. doi:10.1076/chin.8.1.52.8719
- Mahone, E. M., Martin, R., Kates, W. R., Hay, T., & Horská, A. (2009). Neuroimaging correlates of parent ratings of working memory in typically developing children. *Journal of the International Neuropsychological Society*, 15(1), 31-41. doi:10.1017/S1355617708090164
- Mahone, E. M., Zabel, T. A., Levey, E., Verda, M., & Kinsman, S. (2002). Parent and self-report ratings of executive function in adolescents with myelomeningocele and hydrocephalus. *Child Neuropsychology. Special Issue: Behavior Rating Inventory of Executive Function (BRIEF)*, 8(4), 258-270. doi:10.1076/chin.8.4.258.13510
- Malloy, P., & Grace, J. (2005). A review of rating scales for measuring behavior change due to frontal systems damage. *Cognitive and Behavioral Neurology*, 18(1), 18-27. doi:10.1097/01.wnn.0000152232.47901.88
- Mangeot, S., Armstrong, K., Colvin, A. N., Yeates, K. O., & Taylor, H. G. (2002). Long-term executive function deficits in children with traumatic brain injuries: Assessment using the behavior rating inventory of executive function (BRIEF). *Child Neuropsychology. Special Issue: Behavior Rating Inventory of Executive Function (BRIEF)*, 8(4), 271-284. doi:10.1076/chin.8.4.271.13503
- Mares, D., McLuckie, A., Schwartz, M., & Saini, M. (2007). Executive function impairments in children with attention-deficit hyperactivity disorder: Do they differ between school and home environments? *The Canadian Journal of Psychiatry / La Revue Canadienne De Psychiatrie*, 52(8), 527-534. Retrieved from www.csa.com
- McCandless, S., & O'Laughlin, L. (2007). The clinical utility of the behavior rating inventory of executive function (BRIEF) in the diagnosis of ADHD. *Journal of Attention Disorders*, 10(4), 381-389. doi:10.1177/1087054706292115
- McGee, C. L., Fryer, S. L., Bjorkquist, O. A., Mattson, S. N., & Riley, E. P. (2008). Deficits in social problem solving in adolescents with prenatal exposure to alcohol. *American Journal of Drug and Alcohol Abuse*, 34(4), 423-431. doi:10.1080/00952990802122630
- McGlamery, M. E., Ball, S. E., Henley, T. B., & Besozzi, M. (2007). Theory of mind, attention, and executive function in kindergarten boys. *Emotional & Behavioural Difficulties*, 12(1), 29-47. doi:10.1080/13632750601135899

- Merkley, T. L., Bigler, E. D., Wilde, E. A., McCauley, S. R., Hunter, J. V., & Levin, H. S. (2008). Diffuse changes in cortical thickness in pediatric moderate-to-severe traumatic brain injury. *Journal of Neurotrauma*, 25(11), 1343-1345. doi:10.1089/neu.2008.0615
- Muscara, F., Catroppa, C., & Anderson, V. (2008). Social problem-solving skills as a mediator between executive function and long-term social outcome following paediatric traumatic brain injury. *Journal of Neuropsychology*, 2(2), 445-461. doi:10.1348/174866407X250820
- Muscara, F., Catroppa, C., & Anderson, V. (2008). The impact of injury severity on executive function 7-10 years following pediatric traumatic brain injury. *Developmental Neuropsychology*, 33(5), 623-636. doi:10.1080/87565640802171162
- Nadebaum, C., Anderson, V., & Catroppa, C. (2007). Executive function outcomes following traumatic brain injury in young children: A five year follow-up. *Developmental Neuropsychology*. Special Issue: Neuro-Cognitive Consequences of White Matter Injury in Childhood, 32(2), 703-728. Retrieved from www.csa.com
- Niendam, T. A., Horwitz, J., Bearden, C. E., & Cannon, T. D. (2007). Ecological assessment of executive dysfunction in the psychosis prodrome: A pilot study. *Schizophrenia Research*, 93(1-3), 350-354. doi:10.1016/j.schres.2007.03.009
- Parrish, J., Geary, E., Jones, J., Seth, R., Hermann, B., & Seidenberg, M. (2007). Executive functioning in childhood epilepsy: Parent-report and cognitive assessment. *Developmental Medicine & Child Neurology*, 49(6), 412-416. Retrieved from www.csa.com
- Powell, K. B., & Voeller, K. K. S. (2004). Prefrontal executive function syndromes in children. *Journal of Child Neurology*. Special Issue: Learning Disabilities, Attention-Deficit Hyperactivity Disorder, and Psychiatric Comorbid Conditions, 19(10), 785-797. Retrieved from www.csa.com
- Power, T., Catroppa, C., Coleman, L., Ditchfield, M., & Anderson, V. (2007). Do lesion site and severity predict deficits in attentional control after preschool traumatic brain injury (TBI)? *Brain Injury*, 21(3), 279-292. doi:10.1080/02699050701253095
- Rabin, L. A., Roth, R. M., Isquith, P. K., Wishart, H. A., Nutter-Upham, K. E., Pare, N., Flashman, L. A., & Saykin, A. J. (2006). Self- and informant reports of executive function on the BRIEF-A in MCI and older adults with cognitive complaints. *Archives of Clinical Neuropsychology*, 21(7), 721-732. doi:10.1016/j.acn.2006.08.004
- Rasmussen, C., & Bisanz, J. (2009). Executive functioning in children with fetal alcohol spectrum disorders: Profiles and age-related differences. *Child Neuropsychology*, 15(3), 201-215. doi:10.1080/09297040802385400
- Rasmussen, C., & Wyper, K. (2007). Decision making, executive functioning and risky behaviors in adolescents with prenatal alcohol exposure. *International Journal on Disability and Human Development*, 6(4), 405-416. Retrieved from www.csa.com
- Riccio, C. A., Homack, S., Jarratt, K. P., & Wolfe, M. E. (2006). Differences in academic and executive function domains among children with ADHD predominantly inattentive and combined types. *Archives of Clinical Neuropsychology*, 21(7), 657-667. doi:10.1016/j.acn.2006.05.010
- Riggs, N. R., Blair, C. B., & Greenberg, M. T. (2003). Concurrent and 2-year longitudinal relations between executive function and the behavior of 1st and 2nd grade children. *Child Neuropsychology*, 9(4), 267-276. doi:10.1076/chin.9.4.267.23513
- Rose, B. M., & Holmbeck, G. N. (2007). Attention and executive functions in adolescents with spina bifida. *Journal of Pediatric Psychology*, 32(8), 983-994. doi:10.1093/jpepsy/jsm042
- Schonfeld, A. M., Paley, B., Frankel, F., & O'Connor, M. J. (2006). Executive functioning predicts social skills following prenatal alcohol exposure. *Child Neuropsychology*, 12(6), 439-452. doi:10.1080/09297040600611338
- Schroeder, V. M., & Kelley, M. L. (2009). Associations between family environment, parenting practices, and executive functioning of children with and without ADHD. *Journal of Child and Family Studies*, 18(2), 227-235. doi:10.1007/s10826-008-9223-0
- Senn, T. E., Espy, K. A., & Kaufmann, P. M. (2004). Using path analysis to understand executive function organization in preschool children. *Developmental Neuropsychology*, 26(1), 445-464. doi:10.1207/s15326942dn2601_5
- Shear, P. K., DelBello, M. P., Rosenberg, H. L., & Strakowski, S. M. (2002). Parental reports of executive dysfunction in adolescents with bipolar disorder. *Child Neuropsychology*. Special Issue: Behavior Rating Inventory of Executive Function (BRIEF), 8(4), 285-295. doi:10.1076/chin.8.4.285.13511
- Sherman, E. M. S., Slick, D. J., & Eyrl, K. L. (2006). Executive dysfunction is a significant predictor of poor quality of life in children with epilepsy. *Epilepsia*, 47(11), 1936-1942. doi:10.1111/j.1528-1167.2006.00816.x
- Shuster, J., & Toplak, M. E. (2009). Executive and motivational inhibition: Associations with self-report measures related to inhibition. *Consciousness and Cognition: An International Journal*, 18(2), 471-480. doi:10.1016/j.concog.2009.01.004
- Slick, D. J., Lautzenhiser, A., Sherman, E. M. S., & Eyrl, K. (2006). Frequency of scale elevations and factor structure of the behavior rating inventory of executive function (BRIEF) in children and adolescents with intractable epilepsy. *Child Neuropsychology*, 12(3), 181-189. doi:10.1080/09297040600611320
- Sullivan, J. R., & Riccio, C. A. (2007). Diagnostic group differences in parent and teacher ratings on the BRIEF and conners' scales. *Journal of Attention Disorders*, 11(3), 398-406. doi:10.1177/1087054707299399

- Tarazi, R. A., Mahone, E. M., & Zabel, T. A. (2007). Self-care independence in children with neurological disorders: An interactional model of adaptive demands and executive dysfunction. *Rehabilitation Psychology, 52*(2), 196-205. doi:10.1037/0090-5550.52.2.196
- Tarazi, R. A., Zabel, T. A., & Mahone, E. M. (2008). Age-related differences in executive function among children with spina bifida/hydrocephalus based on parent behavior ratings. *The Clinical Neuropsychologist, 22*(4), 585-602. doi:10.1080/13854040701425940
- Thompson, W. W., Price, C., Goodson, B., Shay, D. K., Benson, P., Hinrichsen, V. L., Lewis, E., Eriksen, E., Ray, P., Marcy, S. M., Dunn, J., Jackson, L. A., Lieu, T. A., Black, S., Stewart, G., Weintraub, E. S., Davis, R. L., DeStefano, F., & Vaccine Safety Datalink Team, US. (2007). Early thimerosal exposure and neuropsychological outcomes at 7 to 10 years. *The New England Journal of Medicine, 357*(13), 1281-1292. doi:10.1056/NEJMoa071434
- Toplak, M. E., Bucciarelli, S. M., Jain, U., & Tannock, R. (2009). Executive functions: Performance-based measures and the behavior rating inventory of executive function (BRIEF) in adolescents with attention deficit/hyperactivity disorder (ADHD). *Child Neuropsychology, 15*(1), 53-72. doi:10.1080/09297040802070929
- Turkstra, L. S., Coelho, C., & Ylvisaker, M. (2005). The use of standardized tests for individuals with cognitive-communication disorders. *Seminars in Speech & Language, 26*(4), 215-222. doi:10.1055/s-2005-922101
- Turkstra, L., Ylvisaker, M., Coelho, C., Kennedy, M., Sohlberg, M. M., Avery, J., & Yorkston, K. (2005). Practice guidelines for standardized assessment for persons with traumatic brain injury. *Journal of Medical Speech-Language Pathology, 13*(2), ix-38. Retrieved from www.csa.com
- Vriezen, E. R., & Pigott, S. E. (2002). The relationship between parental report on the BRIEF and performance-based measures of executive function in children with moderate to severe traumatic brain injury. *Child Neuropsychology. Special Issue: Behavior Rating Inventory of Executive Function (BRIEF), 8*(4), 296-303. doi:10.1076/chin.8.4.296.13505
- Waber, D. P., de Moor, C., Forbes, P. W., Almli, C. R., Botteron, K. N., Leonard, G., Milovan, D., Paus, T., Rumsey, J., & Brain Development Cooperative Group. (2007). The NIH MRI study of normal brain development: Performance of a population based sample of healthy children aged 6 to 18 years on a neuropsychological battery. *Journal of the International Neuropsychological Society. Special Issue: Reviews, 13*(5), 729-746. doi:10.1017/S1355617707070841
- Waber, D. P., Gerber, E. B., Turcios, V. Y., Wagner, E. R., & Forbes, P. W. (2006). Executive functions and performance on high-stakes testing in children from urban schools. *Developmental Neuropsychology, 29*(3), 459-477. doi:10.1207/s15326942dn2903_5
- Wade, S. L., Walz, N. C., Carey, J. C., & Williams, K. M. (2008). Preliminary efficacy of a web-based family problem-solving treatment program for adolescents with traumatic brain injury. *The Journal of Head Trauma Rehabilitation, 23*(6), 369-377. doi:10.1097/01.HTR.0000341432.67251.48
- Wade, S. L., Wolfe, C. R., Brown, T. M., & Pestian, J. P. (2005). Can a web-based family problem-solving intervention work for children with traumatic brain injury? *Rehabilitation Psychology, 50*(4), 337-345. doi:10.1037/0090-5550.50.4.337
- Wade, S. L., Wolfe, C., Brown, T. M., & Pestian, J. P. (2005). Putting the pieces together: Preliminary efficacy of a web-based family intervention for children with traumatic brain injury. *Journal of Pediatric Psychology, 30*(5), 437-442. doi:10.1093/jpepsy/jsi067
- Walker, J. M., & D'Amato, R. C. (2006). Review of behavior rating inventory of executive function--self-report version. *Journal of Psychoeducational Assessment, 24*(4), 394-398. doi:10.1177/0734282906288390
- Walz, N. C., Cecil, K. M., Wade, S. L., & Michaud, L. J. (2008). Late proton magnetic resonance spectroscopy following traumatic brain injury during early childhood: Relationship with neurobehavioral outcomes. *Journal of Neurotrauma, 25*(2), 94-103. doi:10.1089/neu.2007.0362
- Wilens, T. E., Waxmonsky, J., Scott, M., Swezey, A., Kwon, A., Spencer, T. J., & Biederman, J. (2005). An open trial of adjunctive donepezil in attention-deficit/hyperactivity disorder. *Journal of Child and Adolescent Psychopharmacology, 15*(6), 947-955. doi:10.1089/cap.2005.15.947
- Winsler, A., Abar, B., Feder, M. A., Schunn, C. D., & Rubio, D. A. (2007). Private speech and executive functioning among high-functioning children with autistic spectrum disorders. *Journal of Autism and Developmental Disorders, 37*(9), 1617-1635. doi:10.1007/s10803-006-0294-8
- Wozniak, J. R., Block, E. E., White, T., Jensen, J. B., & Schulz, S. C. (2008). Clinical and neurocognitive course in early-onset psychosis: A longitudinal study of adolescents with schizophrenia-spectrum disorders. *Early Intervention in Psychiatry, 2*(3), 169-177. doi:10.1111/j.1751-7893.2008.00075.x
- Wozniak, J. R., Krach, L., Ward, E., Mueller, B. A., Muetzel, R., Schnoebelen, S., Kiragu, A., & Lim, K. O. (2007). Neurocognitive and neuroimaging correlates of pediatric traumatic brain injury: A diffusion tensor imaging (DTI) study. *Archives of Clinical Neuropsychology, 22*(5), 555-568. doi:10.1016/j.acn.2007.03.004
- Zabel, T. A., Slomine, B., Brady, K., & Christensen, J. (2005). Neuropsychological profile following suicide attempt by hanging: Two adolescent case reports. *Child Neuropsychology, 11*(4), 373-388. doi:10.1080/09297040490916965

- Zagar, R. J., Busch, K. G., Grove, W. M., Hughes, J. R., & Arbit, J. (2009). Looking forward and backward in records for risks among homicidal youth. *Psychological Reports*, 104(1), 103-127. doi:10.2466/PRO.104.1.103-127
- Zandt, F., Prior, M., & Kyrios, M. (2009). Similarities and differences between children and adolescents with autism spectrum disorder and those with obsessive compulsive disorder: Executive functioning and repetitive behaviour. *Autism*, 13(1), 43-57. doi:10.1177/1362361308097120
- Zeman, J., Klimes-Dougan, B., Cassano, M., & Adrian, M. (2007). Measurement issues in emotion research with children and adolescents. *Clinical Psychology: Science and Practice*, 14(4), 377-401. doi:10.1111/j.1468-2850.2007.00098.x